



Product range

Tubes for greenhouses


HOT DIPPED GALVANISED TUBE EN 10240



OUTSIDE DIAMETER		THICKNESS (mm)											
		1.5	1.7	1.8	2	2.2	2.3	2.5	2.8	3	3.2	3.4	3.5
D (mm)	D (inches)	MASS PER UNIT LENGTH (kg/m)											
21.4	1/2	0.78	0.88	0.94	-	-	-	-	-	-	-	-	-
25.0		0.92	-	-	1.20	1.31	-	1.47	-	-	-	-	-
26.9	3/4	0.99	1.12	1.19	1.32	-	-	-	-	-	-	-	-
30.0		1.12	-	-	1.47	1.60	-	1.80	-	-	-	-	-
32.0		1.19	-	-	1.23	1.70	-	1.93	-	-	-	-	-
33.8	1	1.26	1.43	1.51	1.68	1.85	1.93	2.10	2.26	-	-	-	-
35.0		1.34	-	-	1.75	1.93	-	2.16	2.40	-	-	-	-
42.4		1.61	-	-	2.11	2.31	-	2.61	2.90	-	-	-	-
42.5	1 1/4	1.59	1.80	1.91	2.12	2.33	2.44	2.65	-	-	-	-	-
48.3		1.84	-	-	2.42	2.65	-	3.00	3.33	3.56	-	-	-
48.4	1 1/2	1.83	2.07	2.20	2.44	2.68	2.81	3.05	-	-	-	-	-
50.0		1.90	-	-	2.51	2.75	-	3.11	3.46	3.69	-	-	-
55.0		2.10	-	-	2.77	3.04	-	3.43	3.82	4.08	-	-	-
60.2	2	2.30	2.58	2.74	3.04	3.34	3.50	3.80	4.19	4.47	4.76	-	-
76.1	2 1/2	2.93	3.29	3.48	3.88	4.25	4.45	4.81	5.37	5.74	6.10	-	-
88.7	3	3.39	3.84	4.07	4.52	4.97	5.20	5.65	6.78	6.74	7.18	7.61	7.61
101.6	3 1/2	3.93	-	-	5.21	5.72	-	6.48	7.24	7.74	8.24	8.74	8.74
114.3	4	4.43	-	-	5.88	6.45	6.75	7.31	8.17	8.74	9.30	9.87	9.87




OUTSIDE DIAMETER		THICKNESS (mm)								
		1.2	1.5	2	2.2	2.5	2.8	3	3.2	3.4
B (mm)	B (mm)	MASS PER UNIT LENGTH (kg/m)								
80.0	80.0	-	-	5.14	-	-	-	-	-	-




OUTSIDE DIAMETER		THICKNESS (mm)								
		1.2	1.5	2	2.2	2.5	2.8	3	3.2	3.4
B (mm)	H (mm)	MASS PER UNIT LENGTH (kg/m)								
80.0	50.0	-	-	1.15	-	-	-	-	-	-
100.0	50.0	-	-	4.81	-	-	-	-	-	-

Other measurements can be manufactured in other steels. Please consult us.




GALVANISED SENDZIMIR TUBE

OUTSIDE DIAMETER		THICKNESS T mm								
		1.2	1.5	2	2.2	2.5	2.8	3	3.2	3.4
D (mm)	D (inches)	MASS PER UNIT LENGTH (kg/m)								
25.0		0.7	0.92	1.20	-	-	-	-	-	-
30.0		0.9	1.12	1.47	-	-	-	-	-	-
35.0		-	1.31	1.73	-	-	-	-	-	-
40.0		-	1.42	-	-	-	-	-	-	-
42.4	1 1/4	-	1.61	2.11	-	-	-	-	-	-
50.0		-	1.90	2.51	-	-	-	-	-	-
55.0		-	2.10	2.77	-	-	-	-	-	-
60.0	2"	-	2.30	3.03	-	-	-	-	-	-
76.0	2 1/2	-	2.76	3.65	-	-	-	-	-	-



OUTSIDE DIAMETER		THICKNESS T (mm)								
		1.2	1.5	2	2.2	2.5	2.8	3	3.2	3.4
B (mm)	B (mm)	MASS PER UNIT LENGTH (kg/m)								
20.0	20.0	0.7	-	-	-	-	-	-	-	-
25.0	25.0	0.9	1.1	-	-	-	-	-	-	-
30.0	30.0	-	1.3	-	-	-	-	-	-	-
40.0	40.0	-	1.92	2.53	-	-	-	-	-	-
50.0	50.0	-	2.28	-	-	-	-	-	-	-
60.0	60.0	-	2.75	-	-	-	-	-	-	-




OUTSIDE DIAMETER		THICKNESS T (mm)								
		1.2	1.5	2	2.2	2.5	2.8	3	3.2	3.4
B (mm)	H (mm)	MASS PER UNIT LENGTH (kg/m)								
50.0	30.0	-	1.81	2.38	-	-	-	-	-	-
60.0	40.0	-	2.28	3.01	-	-	-	-	-	-
80.0	40.0	-	2.75	3.64	-	-	-	-	-	-

Other measurements can be manufactured in other steels. Please consult us.


Greenhouse profiles

OMEGA SECTIONS FOR GREENHOUSES


REFERENCE	THICKNESS (mm)	WEIGHT (Kg/m)
R7114	1.5	1.789




REFERENCE	THICKNESS (mm)	WEIGHT (Kg/m)
R7473	1.8	1.794



REFERENCE	THICKNESS (mm)	WEIGHT (Kg/m)
R7956	1.5	1.424




REFERENCE	THICKNESS (mm)	WEIGHT (Kg/m)
R7961	1.5	1.530




These sections can be supplied with different kinds of machining (on request)

OMEGA SECTIONS FOR GREENHOUSES

REFERENCE	THICKNESS (mm)	WEIGHT (Kg/m)
R6944	1.5	1.483




REFERENCE	THICKNESS (mm)	WEIGHT (Kg/m)
R7348	1.5	1.530




OTHER SECTIONS FOR GREENHOUSES

REFERENCE	THICKNESS (mm)	WEIGHT (Kg/m)
R7747	1.5	1.966



REFERENCE	THICKNESS (mm)	WEIGHT (Kg/m)
R7514	1.2	0.838



These sections can be supplied with different kinds of machining (on request)